

Mods to make SRM-125 respond only
to 4K window:

Remove C4-2 to C4-1

Add C4-2 to B4-2



Add B4-1 to BUS-47 (AB12)

Add B4-3 to BUS-31 (*A412)



+5 → 10 → *VCTO

+5 → 10 → R2 → 9

*VCTI → 9 → +5



UNUSED ELEMENTS




IK - 8K STATIC EPROM MODULE

SRM-125 12-31-75

COPYRIGHT 1975 WAVE MATE

DRAWN BY : A. Martin


REVISION :



POWER DISTRIBUTION:
IK-8K STATIC EPROM MODULE
SRM-I25

COPYRIGHT 1977 WAVE MATE


DRAWN BY: *A. Martin*
REVISION:



INTEGRATED CIRCUITS

NAME	PART NUMBER
A1	2708 #1
A4	8T98
A5	8T98
A6	2708 #2
B1	2708 #3
B4	ADDRESS SWITCHES
B5	7404
B6	2708 #4
C1	2708 #5
C4	74LS30
C5	74LS26
C6	2708 #6
D1	2708 #7
D5	7442
D6	2708 #8

ROM ADDRESS SWITCH (B4)
(SHOWN: ADDR. E)



DISCRETES

LOCATION & NAME	PART NUMBER
B5 - R1	1K RESISTOR 5%
C4 - R2	1K "
C5 - R3	1K "

IK-8K STATIC EPROM MODULE

SRM-125 12-31-75

COPYRIGHT 1975 WAVE MATE

DRAWN BY: *a. Martin*
REVISION: